


NOTES:


- 1) MATERIAL: 7075-T7351 ALUMINUM BAR
AMS-QQ-A-250/12 (AMS 4078)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.18 lbs
- 8) SIMILAR TO AGUSTA P/N 3G2591A07051

PRELIMINARY ISSUE

RF 11.06.23

PB1	ADD DIMENSION (ZN C4-3)	RF	11.06.23
A	NEW ISSUE	RF	11.05.18
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED		DRAWING NO.	REV. PB1
MFG. APPR.		D4403	SHEET 1 OF 8
APPROVED		TITLE	SCALE
DE APPR.		BRACKET	NTS
DATE	11.06.23	COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	





NOTES:


- 1) MATERIAL: 7075-T7351 ALUMINUM BAR
AMS-QQ-A-250/12 (AMS 4078)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.10 lbs
- 8) SIMILAR TO AGUSTA P/N 3G2591A06951


D4403-3 AFT BRACKET INBOARD, LH


PRELIMINARY ISSUE


11.06.23


DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED		DRAWING NO. D4403	REV. PB1 SHEET 3 OF 8
MFG. APPR.		TITLE BRACKET SCALE NTS	
APPROVED			
DE APPR.		DATE 11.06.23	
		COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	











NOTES:
1) MATERIAL: 2024-T3/T3510/T3511 ALUMINUM ANGLE
PER QQ-A-200/3
OR AMS 4152, 4164 & 4165
REF DART SPEC M2024T3A
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 0.04 lbs
8) SIMILAR TO AGUSTA P/N 3G2591A07551

PRELIMINARY ISSUE

11.06.23

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED		DRAWING NO. D4403	REV. PB1
MFG. APPR.			SHEET 8 OF 8
APPROVED		TITLE BRACKET	SCALE NTS
DE APPR.		COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	11.06.23		